

# INDEX MAPS.

**T. 13 N. R. 9 E. 2<sup>nd</sup> Mer.**

	266		266		266		265		265		265	
268	6	289	5	283	4	280	3	276	2	272	1	264
	<del>288</del>		<del>288</del>		<del>283</del>		<del>279</del>		<del>275</del>		<del>272</del>	
268	7	288	8	283	9	279	10	275	11	271	12	264
	<del>287</del>		<del>287</del>		<del>282</del>		<del>279</del>		<del>275</del>		<del>271</del>	
267	18	287	17	282	16	278	15	275	14	271	13	264
	<del>286</del>		<del>286</del>		<del>282</del>		<del>278</del>		<del>274</del>		<del>270</del>	
267	19	286	20	281	21	278	22	274	23	270	24	263
	<del>285</del>		<del>285</del>		<del>281</del>		<del>277</del>		<del>273</del>		<del>270</del>	
267	30	285	29	281	28	277	27	273	26	269	25	263
	<del>284</del>		<del>284</del>		<del>280</del>		<del>277</del>		<del>273</del>		<del>269</del>	
267	31	284	32	280	33	276	34	272	35	269	36	263
	<del>262</del>		<del>262</del>		<del>262</del>		<del>261</del>		<del>261</del>		<del>261</del>	

**T. 14 N. R. 9 E. 2<sup>nd</sup> Mer.**

	296		296		296		295		295		295	
297	6	318	5	314	4	310	3	306	2	302	1	294
	<del>320</del>		<del>318</del>		<del>314</del>		<del>310</del>		<del>306</del>		<del>302</del>	
297	7	318	8	314	9	310	10	306	11	302	12	294
	<del>320</del>		<del>317</del>		<del>313</del>		<del>309</del>		<del>306</del>		<del>301</del>	
297	18	317	17	313	16	309	15	305	14	301	13	294
	<del>319</del>		<del>316</del>		<del>312</del>		<del>309</del>		<del>304</del>		<del>301</del>	
298	19	316	20	312	21	308	22	304	23	300	24	293
	<del>319</del>		<del>316</del>		<del>312</del>		<del>308</del>		<del>304</del>		<del>300</del>	
298	30	315	29	311	28	307	27	303	26	299	25	293
	<del>319</del>		<del>315</del>		<del>311</del>		<del>307</del>		<del>303</del>		<del>299</del>	
298	31	315	32	311	33	307	34	303	35	299	36	293
	<del>292</del>		<del>292</del>		<del>292</del>		<del>291</del>		<del>291</del>		<del>291</del>	

The figures on the lines refer to the page.

Township N. 14 North, Range N. 9 East 2. Mer. Indiana

291

Ch. 161

South Boundary. var.  $E^{\circ} 45' E$

Met On S. boundary of Sec. 36

13.69 an Ash 30 in. dia.

40.00 let go. See post, from which

a Hickory 12 in. dia. bray  $N 12 E 12$  lbs. dist. of

a do. 18 " " "  $N 19 W 30$  " "

64.92 an Oak 48 " "

80.00 let post cor. to Sec. 35 of 36 from which

an Ash 8 in. dia. bray  $S 68 E 24$  lbs. dist. of

a do. 9 " " "  $N 28 E 24$  " "

Rich level land, timber Beech, Sugar Walnut  
Ash, Oak, Hickory &c. undng. <sup>to 10</sup> Spruce & poplar.

---

Met On S. boundary of Sec. 35

18.30 a Beech 24 in. dia.

40.00 let go. See post, from which

a Hickory 10 in. dia. bray  $N 48 W 17$  lbs. dist. of

a do. 6 " " "  $N 18 W 17$  " "

45.52 a Maple 22 " "

78.00 at Branch 10 lbs. wide Cr. N.

80.00 let post cor. to Sec. 34 of 35 from which

a Beech 27 in. dia. bray  $S 76 E 17$  lbs. dist. of

a do. 20 " " "  $N 49 W 12$  " "

Good farming land Beech, Sugar, Oak, Elm  
Lycm, Oak, Hickory &c. undng. <sup>to 10</sup> Spruce & poplar

---

Met On S. boundary of Sec. 34

11.62 an Oak 48 in. dia.

40.00 let go. See post, from which

a Beech 12 in. dia. bray  $S 64 E 26$  lbs. dist. of

an Oak 6 " " "  $N 45 W 25$  " "

46.40 an Oak 40 " "

80.00 let post cor. to Sec. 33 of 34 from which

a Sugar 18 in. dia. bray  $N 65 E 18$  lbs. dist. of

a Beech 7 " " "  $S 32 E 24$  " "

Land timber &c. same as on last mile

292 T4 N R9 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

ch. 16

Met On S. boundary of Sec. 33

23.57 a Poplar 30 m. dia.

27.50 at Branch 15 lks wide Cr. N. E

40.00 Set of Sec. post, from which  
a Sugar 10 m. dia. bray N 30 E 3 lks. dist. of  
an Elm 7 " " " N 4 E 3 " "

47.56 an Ash 40 " " "

80.00 Set post Cor. to Sec. 32 of 33, from which  
a W. Oak 36 m. dia. bray N 23 W 3 lks. dist. of  
a Beech 10 " " " N 64 E 32 " "

Level moist land, suitable for Grass, Beech  
Ash, Elm, Oak, &c. underg<sup>d</sup>. Spruce &c.

---

Met On S. boundary of Sec. 32,

26.98 at Beech 10 m. dia.

40.00 Set of Sec. post, from which  
a Beech 10 m. dia. bray S 75 E 9 lks. dist. of  
a Do. 21 " " " N 75 W 16 " "

53.90 a W. Oak 36 " " "

80.00 Set post Cor. to Sec. 31 of 32, from which  
a Beech 10 m. dia. bray N 56 E 12 lks. dist. of  
a Do. 6 " " " N 17 W 14 " "

Rich level land, Beech, Sugar, Oak, Elm,  
Lynn, Walnut &c. underg<sup>d</sup>. Spruce & poplar

---

Met On S. boundary of Sec. 31

15.42 at Beech 24 m. dia.

40.00 Set of Sec. post, from which  
an Elm 18 m. dia. bray N 2 E 30 lks. dist. of  
an Oak 10 " " " N 4 W 26 " "

55.89 an Elm 42 " " "

58.00 a Creek 40 lks. wide Cr. South

73.50 Intersected the Range line N. 14 lks. S. of  
temp<sup>y</sup>. Six mile post.

July 21<sup>st</sup> 1819

---

N 4 N 19 E. 2<sup>nd</sup> Mer. Indiana 293  
ch. 1<sup>st</sup> l<sup>th</sup>

East Boundary, var. 6.45'E.  
North On E. boundary of Sec. 36  
13.00 a Creek 25 l<sup>th</sup>, wide Cr. N.W.  
14.90 a W. Oak 36 in. dia.  
40.00 Set of Sec. post, from which  
a Sugar 12 in. dia. - bray N 9 E 20 l<sup>th</sup>, dist. of  
a Do. 7 " " " S 62 W 10 " "  
57.32 a Beech 21 " " "  
80.00 Set post Cor. to Sec. 25 & 36, from which  
a Sugar 10 in. dia. - bray N 53 E 8 l<sup>th</sup>, dist. of  
an Elm 16 " " " S 15 W 15 " "  
First rate rolling land, Sugar, Walnut, Beech  
Buckeye &c., undr. Spruce & poplar

---

North On E. boundary of Sec. 25  
8.14 a Sugar 30 in. dia.  
40.00 Set of Sec. post, from which  
an Elm 24 in. dia. - bray S 12 W 17 l<sup>th</sup>, dist. of  
a Hornbeam 7 " " " N 23 E 21 " "  
54.65 a Poplar 25 " " "  
80.00 Set post Cor. to Sec. 24 & 25, from which  
a Beech 8 in. dia. - bray N 49 W 9 l<sup>th</sup>, dist. of  
an Ironwood 7 " " " N 30 E 30 " "  
Level good farming land, Beech, Sugar, Ash,  
Poplar, Elm &c. undr. Spruce & poplar

---

North On E. boundary of Sec. 24  
9.87 an Ash 30 in. dia.  
40.00 Set of Sec. post, from which  
an Ash 27 in. dia. - bray S 82 W 10 l<sup>th</sup>, dist. of  
a Dogwood 8 " " " N 35 E 30 " "  
43.44 an Ash 24 " " "  
80.00 Set post Cor. to Sec. 13 & 24, from which  
a Lycamore 20 in. dia. - bray N 41 W 2 l<sup>th</sup>, dist. of  
an Ash. 10 " " " N 20 E 31 " "  
Land 2<sup>nd</sup> rate level, Beech, Sugar, Ash, Elm &c.



294 *West R.R. Co. 2<sup>nd</sup> Mer. Indiana*  
*ch. l. by*  
*under<sup>n</sup> Spruce &c.*

---

*North On Co. boundary of Sec. 13*

*26.02 a Beech 21 mi. dist.*

*40.00 Set of Sec. post, from which*  
*a Sugar 10 mi. dist. by S 54 E 11 mi. dist. of*  
*a Do. 8 " " " N 70 W 23 " "*

*48.00 a Creek 40 mi. wide Cr. S. W.*

*59.27 a Beech 16 mi. dist.*

*80.00 Set post Cor. to Sec. 12 of 13, from which*  
*an Ash 10 mi. dist. by N 40 E 16 mi. dist. of*  
*an Elm 12 " " " S 89 W 38 " "*  
*Level wet land Ash, Elm, Oak, Hickory,*  
*Beech &c. under<sup>n</sup> Spruce & prairie*

---

*North On Co. boundary of Sec. 12*

*8.67 a Beech 16 mi. dist.*

*40.00 Set of Sec. post, from which*  
*an Ash 24 mi. dist. by S 43 E 16 mi. dist. of*  
*a Beech 10 " " " N 13 W 14 " "*

*49.47 on Ash 16 " "*

*67.05 a Beech 25 " "*

*80.00 Set post Cor. to Sec. 1 of 12, from which*  
*a Beech 10 mi. dist. by S 30 W 17 mi. dist. of*  
*an Ash 9 " " " N 31 E 26 " "*  
*Good farming land, Beech, Sugar, Ash, Elm*  
*Oak &c. under<sup>n</sup> Spruce & prairie*

---

*North On Co. boundary of Sec. 1*

*7.62 a Hickory 24 mi. dist.*

*40.00 Set of Sec. post, from which*  
*a Beech 30 mi. dist. by S 38 W 3 mi. dist. of*  
*a Do. 6 " " " N 81 E 13 " "*

*60.26 on Ash 48 " "*

*79.40 Intersected the parallel between Towns 14 &*  
*15 N. Set post Cor. to Township 14 & 15*

14 N R 9 E. T. Mer. Ind. 295  
ch. lks

North, Range 9 & 10 E, from which  
an Ash 20 in. dia. bears S 57 E 35 lks, dist. of  
a W. Oak 50 " " " West 12 "  
Level wet land, Ash, Elm, Oak, Hickory  
Beech, &c.

---

North Boundary var 6° 45' E  
West On S. boundary of Sec. 36, T15 N. R 9 E.  
24.20 a Hickory 18 in. dia.  
40.00 Set of Sec. post, from which  
an Ash 21 in. dia. bears S 17 E 14 lks. dist. &  
a Beech 12 " " " N 28 E 31 " "  
66.68 a No. 14 " "  
80.00 Set post Cor. to Sec. 35 & 36, from which  
a Sugar 20 in. dia. bears S 50 E 11 lks. dist. &  
a Beech 7 " " " N 22 W 18 " "  
Level 2<sup>nd</sup> rate Land Beech, Sugar, Ash, Hickory,  
Oak Cherry &c. underg<sup>th</sup> Spice &c.

---

West On S. boundary of Sec. 35, T15 N. R 9 E.  
14.24 a Beech 24 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 22 in. dia. bears S 23 W 07 lks. dist. &  
a Buckeye — " " " N 43 W 31 " "  
52.49 a Blue Ash 20 " "  
80.00 Set post Cor. to Sec. 34 & 35, from which  
an Ash 25 in. dia. bears S 62 E 3 lks. dist. of  
a Beech 10 " " " N 16 W 30 " "  
Level wet land, Elm, Ash, Oak, Hickory  
Lynx &c. underg<sup>th</sup> Spruce & Pampas

---

West On S. boundary of Sec. 34, T15 N. R 9 E.  
6.58 a Blue Ash 33 in. dia.  
27.00 a Branch 10 lks. wide Cr. St.  
40.00 Set of Sec. post, from which  
a Beech 14 in. dia. bears N 42 E 12 lks. dist. &

296 *Wm. A. R. G. 2<sup>nd</sup> Mer. Indiana*  
*ch.*

ch.  
 a Beech 6 mi. dist. from 149 W 8 th. dist. of  
 54.00 a Creek 70 th. wide Comed S.  
 70.38 a Pine Ash 50 mi. dist.  
 80.00 at post Cor. to Sec. 33 of 34 from which  
 an Ash 16 mi. dist. from 156 W 6 th. dist. of  
 a do. 18 " " " N 14 E 22 "  
 Good farming land, Sugar, Beech, Elm, Ash,  
 Walnut, Hackberry &c. and 4<sup>th</sup> Spruce, Pines &c.

West On S. boundary of Sec. 33, T15N. R9E.

7.69 a Walnut 30 mi. dist.  
40.00 at gr. Sec. post, from which  
a Beech 8 mi. dist. bearing S 40 E 17 km. dist. of  
a do. 9 " " " Nest 24 " "  
50.75 a W. Walnut 21 mi. dist.  
80.00 at post cor. to Sec. 32 of 33, from which  
a Beech 9 mi. dist. bearing N 15 E 4 km. dist. of  
an Ash 9 " " " S 51 W 8 " "  
Sand timber &c. Same as on last mile

West On S. boundary of Sec. 32, T15N. R9E.

18.78 a Poplar 18 mi. dist.  
40.00 Let gr. Sec. post, from which  
a Buckeye 8 mi. dist. bray S55E14 1/2 hr. dist.  
a do. 25 " " " N81E23 " "  
57.40 a Beech 42 " "  
80.00 Let post co. to Sec. 31 & 32, from which  
a Beech 18 mi. dist. bray N22E12 1/2 hr. dist.  
a do. 6 " " " S58E8 " "  
Sand timber &c. same as on last mile

Nest On S. boundary of Sec. 31, T15N, R9E.

9.40 a Beech 27 m. dist.  
32.00 a Branch 10 lks. wide C.P. N.W.  
40.00 Set of Sec. post, from which  
a Beech 10 m. dist. by N 19° W 7 lks. dist. of

# T4 N R9 E. 2<sup>d</sup> Mer Ind. 297

ch. 1/2

a Poplar 24 in. dia. bray S 73° W 16 lks. dist.  
 45.00 an Oak 36 " "  
 52.00 a Branch 15 lks. wide C. S. W.  
 70.00 Intersected, at the post cor. to Township  
 14 & 15 N, Range 8 & 9 E, from which  
 a Beech 20 in. dia. bray N 57° W 21 lks. dist. of  
 a Hickory 21 " " " S 65° E 18 " "  
 Land timber same as on the last mile  
 July 25<sup>th</sup> 1819

West Boundary var. 7° 06' E.  
 South On E. boundary of Sec. 1, T4 N. R8 E  
 19.05 an Ash 40 in. dia.  
 33.00 a Creek 20 lks. wide comes S. W.  
 40.00 At gr. Sec. post, from which  
 a Beech 13 in. dia. bray N 36° W 23 lks. dist. of  
 a Do. 9 " " " S 56° E 17 " "  
 47.24 an Ash 36 " "  
 80.00 At post Cor. to Sec. 1 of 12, from which  
 a Beech 8 in. dia. bray N 29° W 10 lks. dist. of  
 a Sugar 12 " " " S 3° E 28 " "  
 Low level land, timber Ash, Beech &c.

South On E. boundary of Sec. 12, T4 N. R8 E.  
 22.53 a Poplar 24 in. dia.  
 40.00 At gr. Sec. post, from which  
 a Beech 8 in. dia. bray N 8° E 25 lks. dist. of  
 a Do. 12 " " " S 5° W 26 " "  
 54.52 a Hickory 18 " "  
 80.00 At post Cor. to Sec. 12 of 13, from which  
 a Beech 10 in. dia. bray N 43° E 18 lks. dist. of  
 a Do. 8 " " " S 29° E 11 " "  
 Land timber &c. same as on last mile

South On E. boundary of Sec. 13, T4 N. R8 E.  
 26.20 an Oak 36 in. dia.



298 T4 N R9 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set of Sec. post, from which  
a Cherry 7 in. dia. bray S 37 E 17 km. dist. of  
a Hickory 6 " " " S 18 W 20 " "

67.53 an Oak 30 " "

80.00 Set post Cor. to Sec. 13 of 24, from which  
a Maple 12 in. dia. bray S 63 E 8 km. dist. of  
a do. 18 " " " S 57 W 25 " "  
Over level wet land, timber Oak &c.

---

South On E. boundary of Sec. 24, T4 N. R8 E  
24.99 an Elm 15 in. dia.

40.00 Set of Sec. post, from which  
an Oak 24 in. dia. bray S 26 E 9 km. dist. of  
an Ash 7 " " " S 28 W 9 " "

60.20 a Beech 14 " "

80.00 Set post Cor. to Sec. 24 of 25, from which  
an Elm 12 in. dia. bray S 78 W 4 km. dist. of  
a do. 16 " " " S 26 E — " "  
Sand timber &c. same as on last mile

---

South On E. boundary of Sec. 25, T4 N. R8 E.  
8.50 an Elm 26 in. dia.

20.00 a Creek 70 km. wide C. S. W.

40.00 Set of Sec. post, from which  
an Ash 10 in. dia. bray S 34 E 16 km. dist. of  
an Elm 10 " " " S 1 E 7 " "

54.09 a Beech 15 " "

80.00 Set post Cor. to Sec. 25 of 36, from which  
a Beech 18 in. dia. bray S 7 W 4 km. dist. of  
a do. 8 " " " S 23 W 22 " "  
Over good farming land, Beech, Engon &c.  
including Spruce &c.

---

South On E. boundary of Sec. 36, T4 N. R8 E.  
10.40 a Bur Oak 40 in. dia.  
40.00 Set of Sec. post, from which

W. N. R. & Co. 2<sup>d</sup>. Mer. Indiana 299

ch. l. l.

an Ash 10 in. dist. from N 47 E 8 l. dist. of  
a Co. 5 " " " N 47 W 8 " "  
80.00 to Town Corner.

Land timber &c. same as on the last mile

July 22<sup>d</sup> 1819

Surveyed By

John M. McDonald

Deputy Surveyor Com.

---

Subdivision. var 6° 45' E.

North Between Secs. 35 & 36

23.00 a Cherry 18 in. dist.

40.00 at gr. Sec. post, from which  
a Sw. Ash 12 in. dist. from N 10 E 25 l. dist. of  
a Beech 8 " " " " Post 15 " "

61.00 a Sugar 12 " "

80.00 at post Cor. to Secs. 25, 26, 35 & 36, from which  
a Beech 8 in. dist. from North 7 l. dist. of  
a Sugar 12 " " " " 40 E 12 " "  
Land level rich, timber 12. Walnut, Ash  
Cherry, Sugar &c. underg<sup>d</sup>. Spruce

---

East On Rand<sup>m</sup> between Secs. 25 & 36

40.00 at temp<sup>d</sup>. gr. Sec. post

80.30 intersected the E. boundary 50 l. N. of post  
Land timber &c. same as on the last mile

---

West Corrected between Secs. 25 & 36

20.50 a Poplar 36 in. dist.

40.45 at gr. Sec. post at average dist. from which  
a Sugar 12 in. dist. from N 10 E 15 l. dist. of  
a Beech 6 " " " " N 85 W 7 " "

61.00 an Elm 18 " "

80.80 to Section Corner

---

North Between Secs. 25 & 26

# West 19 E. 2<sup>d</sup> Mer. Indiana

ch. 4<sup>th</sup>

22.00 a W. Oak 36 in. dia.

40.00 Set of Sec. from which  
an Ironwood - in diam. - bears East 60 in. dist. &  
a Swamp Ash 8 " " " — 15 " "

63.00 a Beech 18 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which  
an Ash 8 in. dia. - bears East 80 in. dist. &  
a No. 18 " " " N 70 W 25 " "  
Land level & wet timber Oak, S. Ash,  
Hickory, Beech &c. underg<sup>th</sup> Spice &c.

## East Land<sup>m</sup> between Sec. 24 & 25

40.00 Set temp<sup>y</sup>. of Sec. post.

80.00 Intersected the E. boundary 145 lb. S. of post.  
Land level & wet timber Ash, Oak, Beech, Sugar,  
undergrow Spice.

## West Connected between Sec. 24 & 25.

24.00 an Ash 18 in. dia.

40.00 Set of Sec. post, at average dist. from which  
an Elm 18 in. dia. bears West 10 lb. dist. &  
a No. 12 " " " S 40 W 5 " "

62.00 a Cherry 18 " "

80.00 to Section Corner

## North Between Sec. 23 & 24

25.00 a Beech 8 in. dia.

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bears S 30 E 15 lb. dist. &  
a No. 6 " " " North 30 " "

50.00 a Bur Oak 24 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a Cherry 18 in. dia. bears S 25 W 15 lb. dist. &  
a No. 8 " " " N 30 W 12 " "  
Level & rich Land - timber Ash B. Walnut Sugar  
Beech &c. underg<sup>th</sup> Spice

# 301

## T4 N R9 E. 2. Mer. Indiana

ch. 4<sup>th</sup>

East On Random between Sec. 13 & 14.

40.00 Set temp. q. Sec. post.

80.44 Intersected the E. boundary 218 lbs. S. of post.  
Land & timber &c. Same as last mile -

West Corrected between Sec. 13 & 14

21.00 a Sugar 18 in. dia.

40.22 Set q. Sec. post. at average dist. from which  
a Sugar 8 in. dia. bears East 2 lbs. dist. &  
an Ash 6 " " " West 8 " "

80.44 To Section Corner

North Between Sec. 13 & 14

20.30 a Beech 12 in. dia.

30.00 Crooked Creek 50 lbs. wide Course S. 30 W.

40.00 Set q. Sec. post. from which  
a Sugar 18 in. dia. bears S 40 W 20 lbs. dist. &  
a Beech 12 " " " East 25 " "

65.00 a No. 12 " "

80.00 Set post. Cor. to Sec. 11, 12, 13 & 14, from which  
a Lynn 12 in. dia. bears West 2 lbs. dist. &  
a Beech 12 " " " South 8 " "  
Land and timber all blown down &c.

East On Random between Sec. 12 & 13

40.00 Set temp. q. Sec. post.

82.00 Intersected the E. boundary 365 lbs. S. of post.  
Land level timber Ash Beech Hickory, Oak &c.  
Undergrowth Spice -

West Corrected between Sec. 12 & 13.

19.00 a Hickory 18 in. dia.

41.00 Set q. Sec. post. at average dist. from which  
a Sugar 12 in. dia. bears East 8 lbs. dist. &  
a Ash 6 " " " West 10 " "

64.00 a No. 18 " "



# T. H. N. R. E. 2<sup>nd</sup> Mer. Indiana

Ch. 2<sup>nd</sup> Mer.

82.00 to Section Corner

North Between Sect. 11 & 12

23.00 a Beech 9 in. dia.

40.00 Set of Sec. post. from which  
an Ironwood — in. dia. bears West 15 lks. dist. &  
an Elm 8 " " " South 10 " "

65.00 an Ash 24 " " " "

80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which  
a Beech 15 in. dia. bears West 15 lks. dist. &  
a Buckeye 12 " " " N 10 W 12 " "  
Land level and rich timber Ash, Hickory, Sugar,  
Beech &c. undergrowth Spice &c.

East On Bandon between Sect. 1 & 12.

40.00 Set temp. of Sec. post.

82.50 Intersected the E. boundary 476 lks. S. of post.  
Land level & wet timber Ash, Hickory,  
Beech Sugar &c. undergrowth Spice.

West Corrected between Sect. 1 & 12.

20.00 a Bur. Oak 12 in. dia.

41.25 Set of Sec. post. at average dist. from which  
a Beech 6 in. dia. bears S 20 W 10 lks. dist. &  
a Linn 12 " " " North 12 " "

56.00 a Buckeye 8 " " " "

82.50 to Section Corner

North Between Sect. 1 & 2.

23.00 an Ash 18 in. dia.

40.00 Set of Sec. post. from which  
a Beech 18 in. dia. bears S 40 W 25 lks. dist. &  
a No. 8 " " " East 12 " "

60.00 a Buckeye 8 " " " "

84.28 Intersected the N. boundary 160 lks. N. of post.  
Set post. Cor. to Sect. 1 & 2, from which

St. Regis Co. T. Mer. Indiana 303  
Ch. L. 67

a Sugar 4 in. dia. bears N 80 W 10 lb. dist. &  
an Elm P. 6 " " S 60 E 8  
Land level - timber Ash, Beech, Sugar, Oak,  
undergrowth Spice -

North Between Sec. 34 & 35

02.50 a Run 10 lb. wide Course N. W.

27.50 a Beech 10 in. dia.

40.00 Set of Sec. post. from which  
a Spruce 12 in. dia. bears West 30 lb. dist. &  
an Ash 12 " " S 85 E 25 " "

64.75 an Ash 12 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Sycamore 60 in. dia. bears S 45 E 12 lb. dist. &  
a Beech — " " S 20 W 12 " "  
Land level timber Ash, Sugar, Beech, Oak, &c.  
undergrowth Spice &c.

East On Random between Sec. 26 & 35.

40.00 Set temp. of Sec. post.

80.70 Intersected the N. & S. line 136 lb. N. of post.  
Land level timber Beech, Ash, Oak, Sugar &c.  
undergrowth Spice &c.

West. Corrected between Sec. 26 & 35

10.00 an Ash 12 in. dia.

40.35 Set of Sec. post. at average dist. from which  
a Sugar 10 in. dia. bears S 45 W 20 lb. dist. &  
a Ash 14 " " West 35 " "

60.00 a Hickory 16 " "

80.70 to Section Corner

North Between Sec. 26 & 27

20.25 a Beech 12 in. dia.

40.00 Set of Sec. post. from which  
a Sugar 8 in. dia. bears S 5 E 10 lb. dist. &

# Plot 129 E. 2<sup>d</sup> Mer. Indiana

ch<sup>2</sup> 1/2

a Beech 12 in. dia. bears N 70 W 25 lbs. dist.  
48.50 a Creek 20 lbs. wide Course W.

72.50 a B. Walnut 48 in. dia.

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
a Beech 6 in. dia. bears South 20 lbs. dist. &  
a Sugar 9 " " " East 30 " "  
Land timber &c. Same as on last mile

East On Prandom between Sec. 23 & 26

40.00 Set temp. q. Sec. post.

80.12 Intersected the N. & S. line 125 lbs. N. of post  
Land timber &c. Same as last mile

West Corrected between Sec. 23 & 26.

15.00 an Ash 24 in. dia.

40.06 Set q. Sec. post. at average dist. from which  
an Elm 9 in. dia. bears North 3 lbs. dist. &  
a Lynn 3 " " " S 10 W 6 " "

52.50 an Ash 20 " "

80.12 to Section Corner

North Between Sec. 22 & 23.

21.50 a Beech 16 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 12 in. dia. bears North 12 lbs. dist. &  
a W. 10 " " " S 10 E 8 " "

54.00 an Ash 30 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 6 in. dia. bears West 6 lbs. dist. &  
a Sugar 10 " " " S 80 E 20 " "  
Land level timber Beech, Sugar, Ash, Elm,  
&c. undergrowth Spice &c.

East On Prandom between Sec. 14 & 23

40.00 Set temp. q. Sec. post.

79.27 Intersected the N. & S. line 72 lbs. N. of post.

# Plot 129 E. 2<sup>nd</sup> Mer. Indiana 305

ch. 1/2

Land level - timber Beech, Ash, Sugar, &c.  
undergrowth Spice -

West Corrected between Sec. 14 & 23

20.00 a Sugar 12 in. dia.

39.64 Set of Sec. post. at average dist. from which  
a Sugar 12 in. dia. bears N 80 W 6 lbs. dist. &  
a W. 6 " " " S 70 E 8 " "

59.00 a Beech 16 " "

79.27 to Section Corner

North Between Sec. 14 & 15

22.00 a Beech 12 in. dia.

27.50 a Creek 50 lbs. wide course S. 45 W.

40.00 Set of Sec. post. from which  
an Ash 10 in. dia. bears West 15 lbs. dist. &  
an Elm 12 " " " N 80 E 18 " "

60.00 a Beech 20 " "

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a Hickory 6 in. dia. bears S 85 E 12 lbs. dist. &  
a Sugar - " " " N 5 E 15 " "

Land level - timber Beech, Ash, Sugar, Oak,  
underg<sup>th</sup> Spice &c.

East On Pradom between Sec. 11 & 14

40.00 Set temp. of Sec. post.

79.17 Intersected the N. & S. line 70 lbs. N. of post.  
Land level & wet - timber Beech, Ash, Sugar,  
undergrowth Spice -

West Corrected between Sec. 11 & 14

20.50 an Elm 16 in. dia.

39.58 Set of Sec. post. at average dist. from which  
an Ash 16 in. dia. bears S 16 E 10 lbs. dist. &  
a Beech 12 " " " N 20 E 12 " "

59.00 a Sugar 12 " "



# Map No. 1290, 2<sup>d</sup> Mer. Indiana

ch. lhy

79.17 to Section Corner

North Between Secs. 10 & 11

30.50 a Red Oak 20 in. dia.

34.00 a Creek 50 lhy. wide course W.

40.00 Set q. Sec. post. from which  
an Ash 12 in. dia. bears N 10 E 8 lhy. dist. &  
a Beech 9 " " " N 10 W 12 " "

56.50 an Elm 20 " "

80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which  
a Sugar 6 in. dia. bears West 6 lhy. dist. &  
a Poplar 72 " " " North 12 " "

Land & timber same as last mile

East On Prandom between Secs. 2 & 11

40.00 Set temp. q. Sec. post.

79.61 Intersected the N. & S. line 165 lhy. N. of post.  
Land timber same as last mile

West Corrected between Secs. 2 & 11

20.00 an Ironwood 6 in. dia.

39.55 Set q. Sec. post. at average dist. from which  
a Buckeye 12 in. dia. bears S 20 W 30 lhy. dist. &  
an Ash 12 " " " N 20 W 30 " "

67.50 a Sugar 10 " "

79.61 to Section Corner

North Between Secs. 2 & 3.

14.75 a Hickory 12 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 24 in. dia. bears N 30 E 25 lhy. dist. &  
a No. 20 " " " N 60 W 40 " "

41.00 a Creek 50 lhy. wide course S. 45 W.

56.50 a No. 20 " " " S 45 W.

68.50 a Cherry 12 in. dia.

83.92 Intersected the N. boundary 50 lhy. N. of post

ch. lks. *N 1/4 Sec 9 E. 2 Mer. Indiana* 307

Set post. Cor. to Secs. 2 & 3, from which  
 a Beech 10 in. dia. bears S 30 E 30 lks. dist. &  
 a No. 10 " " " S 60 W 50 " "  
 Land Hilly timber Beech, Ash, Oak,  
 Maple Hickory &c. undergrowth Spice &c.

North Between Secs. 33 & 34

09.00 a Beech 20 in. dia.

34.50 a Creek 20 lks. wide course N.W.

40.00 Set q. Sec. post. from which

a Beech 9 in. dia. bears N 10 W 8 lks. dist. &

a Sugar 20 " " " East 35 " "

66.25 a Beech 12 " "

80.00 Set post Cor. to Secs. 27, 28, 33 & 34 from which

an Oak 20 in dia. bears N 85 W 30 lks. dist. &

a Hickory 9 " " " East 35 " "

Land level timber Ash, Sugar, Oak, &c.  
 undergrowth Spice -

East On Pradom between 27 & 34

40.00 Set temp. q. Sec. post.

79.62 Intersected the N. & S. line 74 lks. N. of post.

Land timber &c. Same as on last. Mile

West Corrected between Secs. 27 & 34

25.00 a Beech 20 in. dia.

39.81 Set q. Sec. post. at average dist. from which

a Beech 6 in. dia. bears South 30 lks. dist. &

a No. 12 " " " N 45 E 10 " "

59.00 a Beech 20 " "

79.62 to Section Corner

North Between Secs. 27 & 28

16.50 a B. Walnut 48 in dia.

40.00 Set q. Sec. post. from which

a Hickory 16 in. dia. bears S 80 E 12 lks. dist. &

# W. N. R. E. D. Mer. Indiana

Ch. 1/2

an Elm 12 in. dia. bears West 30 lbs. dist. &  
 60.00 an Oak 24 in. dia.  
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
 a Sugar 12 in. dia. bears South 12 lbs. dist. &  
 a Beech 8 " " " East 25 "  
 Land level timber Beech, Ash, Oak, Sugar,  
 Hickory &c. undergrowth Spice -

East On Random between Sec. 22 & 27.  
 33.50 a Run 10 lbs. wide course N. W.  
 38.50 a Do. 10 " " " S. W.  
 40.00 Set temp. g. Sec. post.  
 79.29 Intersected the N. & S. line 69 lbs. N. of post.  
 Land timber &c. Same as last. Mile

West Corrected Between Sec. 22 & 27.  
 20.50 a Beech 20 in. dia.  
 39.64 Set g. Sec. post. at average dist. from which  
 a Beech 8 in. dia. bears West 20 lbs. dist. &  
 a Hickory 6 " " " S 10 E 30 " "  
 60.00 an Ash 20 " "  
 79.29 to Section Corner

North Between Sec. 21 & 22  
 30.00 a Creek 4 lbs. wide course W.  
 33.30 a Sugar 18 in. dia.  
 40.00 Set g. Sec. post. from which  
 a Beech 9 in. dia. bears S 20 E 8 lbs. dist. &  
 an Elm 10 " " " N 35 W 30 " "  
 65.75 an Ash 20 " "  
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Sugar 8 in. dia. bears S 60 W - lbs. dist. &  
 a Do. 9 " " " N 45 E 35 " "  
 Land level - timber Beech, Sugar, Ash, Elm,  
 Poplar &c. undergrowth Spice.

# St. R. C. D. Mer. Indiana

309

Ch. Lk.

East On Prandon between Sec. 15 & 22.

30.00 a Creek 30 lks. wide Course S.E.

40.00 Set temp. q. Sec. post.

79.25 Intersected the N. & S. line 75 lks. S. of post.

Land Timber &c. Same as last mile

West Corrected between Sec. 15 & 22.

15.00 an Ash 36 in. dia.

39.62 Set q. Sec. post. at average dist. from which  
an Elm 12 in. dia. bears N 60° W 20 lks. dist. &  
a Sugar 10 " " " N 45° E 25 " "

51.00 an Elm 20 " "

79.25 to Section Corner

North Between Sec. 15 & 16.

27.00 an Oak 36 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 4 in. dia. bears West 4 lks. dist. &  
a Sugar 6 " " " N 10° E 12 " "

66.00 an Ash 16 " "

80.00 Set post cor. to Sec. 9, 10, 15 & 16, from which  
an Oak 36 in. dia. bears South 15 lks. dist. &  
a Sycamore 30 " " " North 45 " "  
Land timber &c. Same as last mile

East On Prandon between Sec. 10 & 15

40.00 Set temp. q. Sec. post.

79.20 Intersected the N. & S. line 115 lks. N. of post.

Land timber &c. Same as the last mile

West Corrected between Sec. 10 & 15

15.00 a Beech 10 in. dia.

39.60 Set q. Sec. post. at average dist. from which  
a Beech 10 in. dia. bears East 12 lks. dist. &  
a No. 6 " " " N 60° W 20 " "

59.20 a Poplar 36 " "



ch. 16<sup>th</sup>

79.20 to Section Corner

North Between Secs. 9 &amp; 10

16.50 a Creek 15 lks. wide Course S. W.

27.25 an Ash 12 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 12 in. dia. bears East 8 lks. dist. &  
an Ash 30 " " " North 15 " "

72.00 a Beech 12 " "

80.00 Set post cor. to Secs. 3, 4, 9 & 10, from which  
a Sugar 20 in. dia. bears N 80 W 20 ch. dist. &  
a Beech 18 " " " N 60 E 30 " "Land level 2<sup>nd</sup> rate timber &c. Same as  
on the last mile

East On Random between Secs. 3 &amp; 10

13.25 a Creek 25 lks. wide Course N. W.

40.00 Set temp. q. Sec. post.

49.50 a Creek 25 lks. wide Course N. W. also a Spring

51.00 a W. 25 " " " S. W.

79.15 Intersected the N. & S. line 152 lks. N. of post.  
Land level 2<sup>nd</sup> rate timber Beech Ash,  
Sugar, underg<sup>th</sup> Spice

West Corrected between Secs. 9 &amp; 10

19.00 a Beech 10 in. dia.

39.57 Set q. Sec. post. at average dist. from which &  
a Sugar 14 in. dia. bears North 8 lks. dist. &  
an Ash 18 " " " South 20 " "

60.00 an Elm 36 " "

79.15 to Section Corner

North Between Secs. 3 &amp; 4,

18.50 a Creek 25 lks. wide Course N. W.

23.12 a Sugar 16 in. dia.

40.00 Set q. Sec. post. from which

Map R9 E. 2<sup>d</sup> Mer. Indiana 311

ch. 167

- a Beech 6 in. dia. bears N 8 W 20 lbs. dist. 4  
 a No. 6 " " " N 60 E 20 " "  
 55.50 a Beech 20 " "  
 82.25 Intersected the N. boundary 305 lbs. E. of post.  
 Set post. Cor. to Sect. 3 & 14, from which  
 a Beech 36 in. dia. bears S 60 E 30 lbs. dist. 4  
 a Sugar 9 " " " N 45 W 25 " "  
 Sand timber &c. Same as last mile -

North Between Sect. 32 & 33.

- 25.00 a Beech 18 in. dia.  
 40.00 Set q. Sec. post. from which  
 a Sugar 8 in. dia. bears N 30 W 10 lbs. dist. 4  
 a No. 6 " " " East 15 " "  
 62.00 a Hickory 18 " "  
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which  
 a S. Beech 6 in. dia. bears South 14 lbs. dist. 4  
 a blue Ash 6 " " " East 12 " "  
 Land wet & rich timber B. Walnut Beech Sugar &c.  
 undergrowth Spice -

East On Random between Sect. 28 & 33.

- 40.00 Set temp. q. Sec. post.  
 81.38 Intersected the N & S. line at the post.  
 Land timber &c. Same as last mile -

West Corrected between Sect. 28 & 33

- 20.00 a Beech 18 in. dia.  
 40.00 Set q. Sec. post. at average dist. from which  
 an Ash 12 in. dia. bears North 10 lbs. dist. 4  
 an Elm 18 " " " ——— 25 " "  
 62.00 a Hickory 18 " "  
 81.38 to Section Corner

North Between Sect. 28 & 29.

- 18.12 a Hickory 18 in. dia.

312 T.H. N. R. 9 E. 2<sup>d</sup>. Mer. Indiana

ch. l<sub>h</sub>

- 40.00 Set q. Sec. post from which  
an Elm 18 in. dia. bears N 20 W 12 l<sub>h</sub>. dist. 8  
an Ash 36 " " " West 8 " "  
58.00 a Beech 24 " "  
80.00 Set post Cor. to Secs. 20, 21, 28 & 29. from which  
an Elm 18 in. dia. bears South 12 l<sub>h</sub>. dist. 8  
a Buckeye 12 " " " East 18 " "  
Land & timber same as last mile
- 

East On Prandom between Secs. 21 & 28.

- 40.00 Set temp. q. Sec. post.  
80.70 Intersected the N. & S. line at the post.  
Land level timber Beech & Oak
- 

West Corrected between Secs. 21 & 28.

- 22.50 a Beech 24 in. dia.  
40.35 Set q. Sec. post, at averaged dist. from which  
a Hickory 8 in. dia. bears N 80 E 8 l<sub>h</sub>. dist. 4  
an Ash 12 " " " West 12 " "  
64.00 an Ash 18 " "  
80.70 to Section Corner
- 

North Between Secs. 20 & 21.

- 18.00 a brook 30 l<sub>h</sub>. wide Course S. 30 W.  
20.04 an Ash 24 in. dia.  
40.00 Set q. Sec. post, from which  
a Sugar 12 in. dia. bears S. 60 W 20 l<sub>h</sub>. dist. 4  
a No. 8 " " " N 15 E 15 " "  
60.27 a Hickory 12 " "  
80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which  
an Elm 10 in. dia. bears North 10 l<sub>h</sub>. dist. 4  
a Beech 8 " " " East 15 " "  
Land timber &c. same as on the last mile
- 

East On Prandom between Secs. 16 & 21

- 40.00 Set temp. q. Sec. post.

# 313

## T4 N 129 E. 2<sup>nd</sup> Mer. Indiana

ch. 2. 46<sup>th</sup>

80.60 Intersected the N. & S. line 8 lvs. N. of post.  
Land timber same as before -

West Connected between Sec. 21 & 16

26.18 a Beech 15 in. dia.

40.30 Set q. Sec. post. at average dist. from which  
a W. Oak 18 in. dia. bears South 20 lvs. dist. &  
a Hickory 12 " " " North 12 " "

80.60 to Section Corner

North Between Sec. 16 & 17

21.00 a Beech 24 in. dia.

38.00 a Creek 30 lvs. wide course S 20 W

40.00 Set q. Sec. post. from which  
a Sycamore 48 in. dia. bears S 15 E 20 lvs. dist. &  
an Oak 20 " " " N 30 W 12 " "

63.00 a Red Oak 40 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 24 in. dia. bears S 50 E 30 lvs. dist. &  
an Ash 10 " " " North 6 " "  
Land level 2<sup>nd</sup> rate timber Ash, Beech, Sugar,  
Oak, undergrowth Spice -  
A Sulphur Spring 100 lvs. from q. Sec. post.  
in Sec. 17.

East On Prandon between Sec. 9 & 16

38.50 a Creek 30 lvs. wide course South

40.00 Set temp. q. Sec. post.

80.65 Intersected the N. & S. line 8 lvs. S. of post.  
Land wet timber Ash, Beech, Sugar Oak &c.  
undergrowth Spice

West Connected between Sec. 9 & 16

20.12 a Beech 9 in. dia.

40.32<sup>1</sup>/<sub>2</sub> Set q. Sec. post. at average dist. from which  
an Hornwood 6 in. dia. bears S 20 W 6 lvs. dist. &



314

# Sh. N. R. & D. Mer. Indiana

ch. 2. 1/4

a Buckeye 8 in. dia. bears S 80 E 30 lks. dist.  
 63.00 a Sugar 12 " "  
 86.65 to Section Corner

North Between Sec. 8 & 9

20.25 a Beech 8 in. dia.

40.00 Set q. Sec. post. from which  
 a Beech 12 in. dia. bears East 8 lks. dist. &  
 a Sugar 15 " " " S 30 W 20 " "

61.08 a Sup. Ash 18 " "

80.00 Set post Cor. to Sec. 4, 5, 8, & 9, from which  
 a Beech 6 in. dia. bears East 15 lks. dist. &  
 a Do. 4 " " " West 20 " "

Land bet. & wet timber Ash Beech Sugar-  
 Hickory, &c. Undergrowth Spice -

East On Random between Sec. 4 & 9

40.00 Set temp. q. Sec. post.

62.50 a Creek 40 lks. wide Course S.

79.88 Intersected the N. & S. line 58 lks. S. of post.  
 Land & timber same as before -

West Connected between Sec. 4 & 9

22.00 a B. Walnut 14 in. dia.

39.94 Set q. Sec. post. at average dist. from which  
 a Beech 9 in. dia. bears North 3 lks. dist. &  
 an Ash 5 " " " S 48 E 30 " "

60.00 a Beech 12 " "

79.88 to Section Corner

North Between Sec. 4 & 5

27.00 a Sugar 20 in. dia.

40.00 Set q. Sec. post. from which  
 a Beech 36 in. dia. bears S E 8 lks. dist. &  
 a Sugar 9 " " " West 20 " "

64.85 an Ash 20 " "

# T4 N R9 E. 2. Mer. Indiana 315

ch. P. 167

83.30 Intersected the N. boundary 530 lks. E. of post.  
 Set post Cor. to Sec. 4 & 5. from which  
 a Beech 24 in. dia. bears N 60 E 25 lks. dist. &  
 a W. 16 " " " S. E 30 " "  
 Land level 2<sup>nd</sup> rate timber Beech Ash Sugar,  
 Oak &c. undergrowth Spice &c.

North Between Sec. 31 & 32.

25.50 a W. Oak 24 in. dia.

40.00 Set of. Sec. post, from which  
 an Elm 12 in. dia. bears S 15 W 10 lks. dist. &  
 a Swp. Oak 4 " " " N 20 E 20 " "

63.75 a B. Oak 30 " "

80.00 Set post Cor. to Sec. 30, 29, 31 & 32, from which  
 a Beech 15 in. dia. bears East 8 lks. dist. &  
 a Hickory 24 " " " North 20 " "  
 Land level & wet timber Same as last mile

East On Random between Sec. 29 & 32

40.00 Set temp. of. Sec. post.

80.15 Intersected the N. & S. line 9 lks. N. of post.  
 Land level & wet timber Hickory, Beech, Oak, Ash,  
 undergrowth Spice -

West Corrected between Sec. 29 & 32

15.50 a Sugar 9 in dia.

40.07 1/2 Set of. Sec. post. at average dist. from which  
 a Sugar 9 in. dia. bears S 40 E 8 lks. dist. &  
 a hawwood 6 " " " North 6 " "

60.00 a Hickory 9

80.15 to Section Corner

North Between Sec. 29 & 30.

19.75 a W. Oak 18 in. dia.

40.00 Set of. Sec. post. from which  
 a Beech 12 in. dia. bears West 6 lks. dist.

# T. H. N. R. G. 2<sup>nd</sup> Mer. Indiana ch. lky

a Sugar 8 in. dia. bears East 12 lks. dist. &  
 57.50 a Beech 24 " " "  
 80.00 Set post, Cor. to Sect. 19, 20, 29 & 30, from which  
 an Elm 8 in. dia. bears West 8 lks. dist. &  
 an Ash 6 " " " North 6 " "  
 Land timber &c. Same as last mile

East On Random between Sect. 20 & 29.  
 40.00 Set temp. q. Sec. post.  
 81.00 Intersected the N. & S. line 37 lks. N. of post.  
 Land rich & level timber &c. Same as last mile

West Corrected between Sect. 20 & 29.  
 23.50 a Lym 12 in. dia.  
 40.50 Set q. Sec. post. at average dist. from which  
 a Sugar 6 in. dia. bears South 20 lks. dist. &  
 a Lym 15 " " " N 50 E 12 " "  
 60.25 an Ironwood 6 in. dia.  
 81.00 to Section Corner

North Between Sect. 19 & 20  
 19.75 an Oak 48 in. dia.  
 40.00 Set q. Sec. post. from which  
 an Elm 16 in. dia. bears East 12 lks. dist. &  
 a Sugar 10 " " " West 25 " "  
 59.60 a Beech 9 " " "  
 80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which  
 a Beech 18 in. dia. bears East 6 lks. dist. &  
 a Sugar — " " " S 40 W 12 " "  
 Land wet 2<sup>nd</sup> rate timber Beech, Sugar, Ash, Oak,  
 undergrowth Spice -

East On Random between 17 & 20  
 40.00 Set temp. q. Sec. post.  
 82.14 Intersected the N. & S. line 40 lks. N. of post  
 Land level 2<sup>nd</sup> rate timber Ash, Beech, Sugar,

# 317

## M. N. R. G. E. D. Mer. Indiana

ch. 2. 1/4

undergrowth Spice &c.

West Corrected between Sec. 17 & 20  
 20.15 a Beech 18 in. dia.  
 41.07 Set of. Sec. post, at average dist. from which  
 a Sugar 9 in. dia. bears East 25 lbs. dist. &  
 a Beech 36 " " " West 25 " "  
 62.50 an Ash 20 " "  
 82.14 to Section Corner

North Between Sec. 17 & 18  
 27.00 an Oak 12 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 20 in. dia. bears West 10 lbs. dist. &  
 a No. — " " " N 85 E 40 " "  
 52.50 a Creek 50 lbs. wide Course N.  
 62.00 an Ash 12 in. dia.  
 81.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 an Elm 16 in. dia. bears East 20 lbs. dist. &  
 a Sugar 6 " " " N 25 W 10 " "  
 Land level 2" rate timbe Beech, Ash, Sugar, Elm,  
 &c. Undergrowth Spice &c.

East On Random between Sec. 8 & 17  
 40.00 Set temp. of. Sec. post.  
 82.00 Intersected the N. & S. line 13 1/4 lbs. N. of post.  
 Land timber &c. Same as last mile

West Corrected between Sec. 8 & 17  
 20.14 a Beech 20 in. dia.  
 41.00 Set of. Sec. post, at average dist. from which  
 a Beech 36 in. dia. bears North 10 lbs. dist. &  
 a No. 9 " " " S 10 W 12 " "  
 64.00 a B. Ash 8 " "  
 82.00 to Section Corner



M. N. R. G. Co. 2<sup>d</sup>. Mer. Indiana

Ch. 1167

North Between Sect. 7 &amp; 8

25.00 a Beech 16 in. dia.

40.00 Set of. Sec. post. from which  
a Hickory 9 in. dia. bears East 8 lks. dist. &  
an Ash 6 " " " S 40 W 20 " "

64.00 a Beech 24 " "

80.00 Set post Cor. to Sect. 5, 6, 7 & 8, from which  
an Elm 14 in. dia. bears S 76 lks. dist. &  
a No. 10 " " " N E 15 " "  
Land timber &c. Same as last mile

East On Prandon between Sect. 5 &amp; 8

40.00 Set Temp. of. Sec. post.

81.85 Intersected the N. & S. line 26 lks. N. of post.  
Land level 2<sup>d</sup>. rate timber Poplar, Beech, Ash  
undergrowth Spice -

West Corrected between Sect. 5 &amp; 8

20.30 a Swp. Ash 20 in. dia.

40.92 Set of. Sec. post. at average dist. from which  
an Elm 4 in. dia. bears East 4 lks. dist. &  
a No. 6 " " " North 6 " "

60.12 a Beech 15 " "

81.85 to Section Corner

North Between Sect. 5 &amp; 6

34.80 an Oak 16 in. dia.

40.00 Set of. Sec. post. from which  
an Ash 20 in. dia. bears West 20 lks. dist. &  
a Hickory 9 " " " S. N. 10 " "

51.00 an Oak 18 " "

81.50 Intersected the N. Boundary 543 lks. E. of post.  
Set post Cor. to Sect. 5 & 6, from which  
a Beech 12 in. dia. bears S 30 W 20 lks. dist. &  
a Sugar - " " " S 75 E 25 " "  
Land level & wet timber Same as last mile

# 319

## Mt. Ridge, Ind. Mer. Indiana

Atkys

Nest Between Secs. 30 & 31.

17.00 an Ash 12 in. dia.

40.00 Set of. See post. from which  
a Beech 16 in. dia. bears S. 10 W 8 lbs. dist. 4  
a No. 24 " " " North 15 " "

62.50 a Beech 24 " "

78.30 Intersected the W. boundary 65 lbs. S. of post.  
Set post cor. to Secs. 30 & 31, from which  
a Beech 24 in. dia. bears N 20 W 21 lbs. dist. 4  
a No. 10 " " " South 20  
Land flat and wet timber Beech, Ash, Sugar,  
Hickory, undergrowth Spice-

Nest Between Secs. 19 & 30

22.12 a Sugar 16 in. dia.

40.00 Set of. See. post. from which  
a Sugar 9 in. dia. bears N 60 E 25 lbs. dist. 4  
an Elm 24 " " " S 50 W 40 " "

41.50 a Creek 5 lbs. wide Course South

64.00 an Elm 20 in. dia.

78.11 Intersected the W. boundary 111 lbs. S. of post.  
Set post cor. to Secs. 19 & 30, from which  
a Sugar 9 in. dia. bears S 5 W 15 lbs. dist. 4  
a Buckeye 12 " " " N 10 E 25 "  
Land level first rate timber Beech, Ash, Sugar,  
Elm - undergrowth Spice

Nest Between Secs. 18 & 19

23.58 a Hickory 10 in. dia.

40.00 Set of. See. post. from which  
a Beech 9 in. dia. bears N 85 W 8 lbs. dist. 4  
a No. 24 " " " S 30 W 25 " "

52.50 a Creek 50 lbs. wide Course S.

71.50 a Beech 10 in. dia.

78.30 Intersected the W. boundary 220 lbs. S. of post.  
Set post cor. to Secs. 18 & 19, from which

# *T4 N 19 E 2<sup>nd</sup> Mer. Indiana*

ch<sup>2</sup> l<sup>th</sup>

an Oak 14 in. dia. bears N 20 E 25 l<sup>th</sup>. dist. 4  
 a No. 36 " " " S 25 E 30 "  
 Land level 2<sup>nd</sup> rate timber Beech, Oak, Ash,  
 Sugar &c. undergrowth Spice

Nest Between Sec. 7 & 18

34.00 a Beech 24 in. dia.

40.00 Set post for q<sup>r</sup>. Sec. Cor. from which  
 a Beech 18 in. dia. bears N 45 E 20 l<sup>th</sup>. dist. 4  
 a No. — " " " S 80 N 25 " "

68.50 an Oak 38 " "

78.10 Intersected the N. boundary 325 l<sup>th</sup>. S. of post. an  
 Oak 10 in. dia. Cor. to Sec. 7 & 18, from which  
 a Beech 9 in. dia. bears N 55 E 15 l<sup>th</sup>. dist. 4  
 a No. 8 " " " N 60 W 10 "  
 Land level 2<sup>nd</sup> rate timber Beech Ash Sugar  
 Elm Oak &c. undergrowth Spice.

Nest Between Sec. 6 & 7.

21.00 an Ash 24 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Oak 24 in. dia. bears N 60 E 10 l<sup>th</sup>. dist. 4  
 an Elm 6 " " " N 80 W 15 " "

64.00 an Oak 22 " "

78.30 Intersected the N. boundary 453 l<sup>th</sup>. S. of post.  
 Set post Cor. to Sec. 6 & 7, from which  
 a Hickory 10 in. dia. bears N 80 E 20 l<sup>th</sup>. dist. 4  
 an Ash 20 " " " S 70 W 15 "  
 Land level timber Beech, Ash, Sugar, Oak, Elm,  
 undergrowth Spice &c.

Surveyed in 1819 by  
 Andrew Wallace,  
 Deputy Surveyor

I Certify that the foregoing transcript of field notes  
 of Township N. 14 North, Range N. 9 E. 3d Meridian  
 Indiana, has been compared with the original  
 notes in this Office, and found to be correct.  
 Surveyor General's Office  
 Cincinnati, Nov. 7th 1842

William Johnston  
 Sur. Genl.